# Mouse Heart gDNA isolation in microcentrifuge tubes

#### **Materials**

- Samples: 50 mg of frozen or fresh heart from a mouse.
- Bead lysis kit: 1.5 mL RED RINO/Eppendorf Lysis Kit or 2 mL tube with beads.
- DNA isolation kit: magNEAT Tissue DNA Extraction Kit (Kit ID: 2TDMN-50) from Microzone  $^{\mu}$ .

#### Method: Homogenization

- 1. Weigh up to 50 mg of tissue samples and transfer to the lysis tubes.
- 2. Set the Bullet Blender at speed 10, time 2 minutes and homogenize the samples dry. If using other homogenizer models, refer to the manufacturer's instructions for appropriate settings.
- 3. Add 500 µL Lysis Buffer, 20 µL proteinase K, and 10 µL FoamBlocker into each lysis kit tube.
- 4. Set the Bullet Blender at speed 10, time 1 minute and homogenize the samples in solution.
- 5. Remove the tubes and visually inspect the samples to confirm complete homogenization.

# **Method: Extraction**

#### **RNase Treatment & Binding:**

- 1. Prepare new microtubes containing 200  $\mu L$  PBS.
- 2. Transfer 320  $\mu$ L of the homogenate to the new tubes containing PBS.
- 3. Add 5 μL RNase A to each sample, mix well by inversion and leave at room temperature for 10 minutes, mixing again halfway through the incubation.
- 4. Centrifuge tubes at 13,000 x g for 5 minutes.
- 5. Transfer 450 μL of supernatant into new microfuge tubes, being careful not to disturb the pellets or transfer any debris. Place the tubes on the tube rack.
- 6. Add 450 μL Binding Buffer to the supernatant in each tube and mix thoroughly by inversion.
- Add 30 μL of magNEAT magnetic beads to each sample tube. Mix thoroughly by inversion until the sample is homogenous. Allow to stand for 5 minutes, mixing again halfway through.
  Note: Vortex magNEAT beads thoroughly before adding to ensure they are resuspended.
- 8. Transfer the tube rack to the magnetic stand and allow to sit for 1-2 minutes, until the magnetic beads are separated.
- 9. Discard the supernatant and remove the tube rack from the magnetic stand.

## Washing:

- 10. Add 700  $\mu$ L Wash Buffer 1, mix thoroughly by inversion, ensuring all beads have been detached from the tube walls.
- 11. Place the tube rack onto the magnetic stand and allow the magnetic beads to separate.
- 12. Discard the supernatant then remove the tube rack from the magnetic stand. *Note: Be careful not to disturb the magnetic beads.*

Next Advance, Inc. www.nextadvance.com



Questions? Contact us support@nextadvance.com 1 518 674 3510

# Mouse Heart gDNA isolation in microcentrifuge tubes, continued

- 13. Add 700  $\mu$ L Wash Buffer 2, mix thoroughly by inversion to completely resuspend the beads.
- 14. Transfer the tube rack to the magnetic stand and allow the magnetic beads to separate.
- 15. Discard the supernatant and remove the tube rack from the magnetic stand. *Note: Be careful not to disturb the magnetic beads.*
- 16. Repeat steps 13-15 for a total of 2 washes with Wash Buffer 2.
- 17. Centrifuge samples at 2,000 x g for 3 minutes.
- 18. Use a 20  $\mu$ L pipette to remove any remaining wash buffer from the tubes. Do not disturb the magnetic beads.
- 19. Leave caps open to air dry the magnetic beads at room temperature for 5 minutes. *Note: Confirm there is no ethanol present before proceeding to elution steps.*

## Elution:

- 20. Add 100  $\mu$ L of DNA Elution Buffer to each tube. Mix by tapping to ensure that the magnetic beads are completely resuspended.
- 21. Incubate at 60°C for 5 minutes with caps closed.
- 22. After incubation, place the tubes back on the tube rack and then transfer onto the magnetic stand to allow the beads to separate.
- 23. Transfer the clear supernatant containing the gDNA into new microfuge tubes for downstream processing. Be careful not to disturb the magnetic beads.
- 24. Analyze quality (OD<sub>260</sub>/OD<sub>280</sub>) and yield using NanoDrop and agarose gel (as shown in Figure 1 and Table 1).
- 25. Isolated DNA can be stored at 4°C for up to a week or at -20°C for long term storage.

# bp 10,000 8,000 6,000 5,000 4,000 3,000 2,500 1,500 1,000 750 500 250 Analysis on a 1% Agarose gel

Figure 1. In-house data on agarose gel.

#### Table 1. In-house data using NanoDrop.

Tissue	Yield: µg/mg Tissue	OD <sub>260/280</sub>
Heart 1	0.449	1.86
Heart 2	0.446	1.85



Questions? Contact us support@nextadvance.com 1-518-674-3510